

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

pCi Labs, Inc 103 South Greenbush Road Orangeburg, NY 10962 (845) 680-0031

Page 1 of 1

Analyte List Number: 298007-B

Date of Issue: June 11, 2007

Expiration Date: April 27, 2008

GRANTS SECONDARY ACCREDITATION TO THE ABOVE MENTIONED LABORATORY FOR THE FOLLOWING ANALYSES:

DRINKING WATER RADIOLOGICAL CONTAMINANTS

Gross Alpha	EPA 900.0
Gross Beta	EPA 900.0
Radium-226	EPA 903.0
Radium-228	NJ 1980
Uranium	EPA 908.0

NON-POTABLE WATER RADIOLOGICAL CONTAMINANTS

Gross Alpha	EPA 900.0
Gross Beta	EPA 900.0
Radium-226	EPA 903.0
Radium-228	NJ 1980
Uranium	EPA 908.0

This analyte list supersedes all previously issued analyte lists.

Method accreditation does not imply acceptance for NHDES compliance testing.

Program Manager

Laboratory is required to use EPA approved / accepted methods where required by regulation.

Customers may verify the laboratory's current accreditation status by calling (603) 271-2998.

